


## PROFILE 90x90L 6N SLOT 10 (light)

Material: anodised aluminium

### Technical data:

Surface A [cm <sup>2</sup> ]	23.60
Moment of inertia I <sub>x</sub> [cm <sup>4</sup> ]	217.87
Moment of inertia I <sub>y</sub> [cm <sup>4</sup> ]	211.76
Section modulus W <sub>x</sub> [cm <sup>3</sup> ]	47.55
Section modulus W <sub>y</sub> [cm <sup>3</sup> ]	47.06
Weight m [kg/m]	6.50



Standard processing:	Art. no.:
M 12= / -	103315
M 12= / M 12=	103320
M 12# / -	103325
M 12# / M 12#	103330
D 9.8= / -	102340
D 9.8= / D 9.8=	102320
D 17= / -	102520
D 17= / D 17=	102525
D 17= / D 17V=	

Explanations and further processing options can be found on p. 223-231

Dimensions (version)	Length (mm)	Slot	Weight (kg)	Art. no.:
90x90L 6N	Cut to length	10	6.5 kg/m	20108060
90x90L 6N	6060	10	6.5 kg/m	20108061

If this profile is cut to length, the cutting costs incurred per saw cut must be factored in. (Art. no.: 101030)

## COVER CAP 90x90L SLOT 10

Material: PA plastic



Dimensions (version)	Slot	Weight (g)	Version	Art. no.:
90x90L	10	42	Black	401080