


PROFILE 30x60x60L SLOT 8

Material: anodised aluminium

Technical data:

Surface A [cm ²]	8.22
Moment of inertia I _x [cm ⁴]	26.21
Moment of inertia I _y [cm ⁴]	26.21
Section modulus W _x [cm ³]	7.57
Section modulus W _y [cm ³]	7.57
Weight m [kg/m]	2.22



Standard processing:	Art. no.:
M8= / -	103215
M8= / M8=	103210
D7.8= / -	102120
D7.8= / D7.8=	102130
D7.8= / D7.8V	102135
D7.8=+ / -	102137
D7.8=+ / D7.8=+	102140
D11={SSV} / -	102376
D11={SSV} / D11={SSV}	102378

Explanations and further processing options can be found on p. 223-231

Dimensions (version)	Length (mm)	Slot	Weight (kg)	Art. no.:
30x60x60L	Cut to length	8	2.22 kg/m	20107600
30x60x60L	6060	8	2.22 kg/m	20107601

If this profile is cut to length, the cutting costs incurred per saw cut must be factored in. (Art. no.: 101020)

COVER CAP 30x30

Material: PA plastic



Dimensions (version)	Slot	Weight (g)	Version	Art. no.:
30x30 (3x)	8	4	Black	401010
30x30 (3x)	8	4	Signal grey (RAL 7004)	401110