


## PROFILE 8 80x80L 2N (light)

Material: anodised aluminium

### Technical data:

Surface A [cm <sup>2</sup> ]	20.05
Moment of inertia I <sub>x</sub> [cm <sup>4</sup> ]	139.20
Moment of inertia I <sub>y</sub> [cm <sup>4</sup> ]	139.20
Section modulus W <sub>x</sub> [cm <sup>3</sup> ]	34.22
Section modulus W <sub>y</sub> [cm <sup>3</sup> ]	33.60
Weight m [kg/m]	5.45



Standard processing:	Art. no.:
M8= / -	103215
M8= / M8=	103210
M8# / -	103240
M8# / M8#	103245
D7= / -	102354
D7= / D7=	102355
D7= / D7V=	102362
D7# / -	102360
D7# / D7#	102365
D7# / D7V#	102367
D14= / -	102460
D14= / D14=	102465

Explanations and further processing options can be found on p. 223-231

Dimensions (version)	Length (mm)	Slot	Weight (kg)	Art. no.:
80x80L 2N	Cut to length	8	5.45 kg/m	20209050
80x80L 2N	6060	8	5.45 kg/m	20209051

If this profile is cut to length, the cutting costs incurred per saw cut must be factored in. (Art. no.: 101030)

## COVER CAP 8 80x80

Material: PA plastic



Dimensions (version)	Slot	Weight (g)	Version	Art. no.:
80x80	8	19.4	Black	421060
80x80	8	19.4	Grey (similar to RAL 7042)	99900855